

DEMA ENGINEERING COMPANY
METERING TIP KITS

100-15K (1/4" BARB)

PROPORTIONER MODELS 164C & 164GAG & BLEND CENTERS (1 GPM)			PROPORTIONER MODELS 164C & 164GAG & BLEND CENTERS (4 GPM)			PROPORTIONER MODELS 151, 153 & 167 (4 1/2 GPM)			SPRAY CLEAN INJECTORS MODELS 241CT & 244CT (3 GPM)		
TIP COLOR	RATIO	OZ/GAL	TIP COLOR	RATIO	OZ/GAL	TIP COLOR	RATIO	OZ/GAL	TIP COLOR	RATIO	OZ/GAL
TAN	102:1	1.25	TAN	427:1	0.30	TAN	512:1	0.25	TAN	366:1	0.35
ORANGE	75:1	1.70	ORANGE	320:1	0.40	ORANGE	384:1	0.33	ORANGE	256:1	0.50
TURQUOISE	60:1	2.15	TURQUOISE	256:1	0.50	TURQUOISE	256:1	0.50	TURQUOISE	183:1	0.70
PINK	43:1	3.00	PINK	170:1	0.75	PINK	205:1	0.63	PINK	128:1	1.00
LIGHT BLUE*	33:1	3.90	LIGHT BLUE*	128:1	1.00	LIGHT BLUE*	171:1	0.75	LIGHT BLUE*	102:1	1.25
BROWN	28:1	4.55	BROWN	114:1	1.12	BROWN	128:1	1.00	BROWN	91:1	1.40
RED	22:1	5.80	RED	85:1	1.50	RED	102:1	1.25	RED	73:1	1.75
WHITE	18:1	7.00	WHITE	73:1	1.75	WHITE	85:1	1.50	WHITE	58:1	2.20
GREEN	16:1	7.90	GREEN	64:1	2.00	GREEN	73:1	1.75	GREEN	51:1	2.50
BLUE	13:1	9.80	BLUE	51:1	2.50	BLUE	64:1	2.00	BLUE	41:1	3.10
YELLOW	9:1	14.80	YELLOW	34:1	3.75	YELLOW	40:1	3.20	YELLOW	27:1	4.70
BLACK	6:1	20.15	BLACK	26:1	5.00	BLACK	32:1	4.00	BLACK	22:1	5.90
PURPLE	5:1	27.80	PURPLE	15:1	8.50	PURPLE	20:1	6.40	PURPLE	15:1	8.50
GRAY	4:1	31.60	GRAY	11:1	11.50	GRAY	12:1	10.00	GRAY	13:1	9.75
NONE	3.6:1	35.00	NONE	8:1	16.25	NONE	10:1	12.00	NONE	12:1	11.10

*RING TIP COLOR WAS FORMERLY CLEAR

61-9K (3/8" BARB)

PROPORTIONER MODEL 164 & BLEND CENTERS (1 GPM)			PROPORTIONER MODEL 163 & BLEND CENTERS (4 GPM)			PROPORTIONER MODEL 162-3 & BLEND CENTERS (4 1/2 GPM)			PROPORTIONER MODEL 163CH & BLEND CENTERS (2 1/2 GPM)		
TIP COLOR	RATIO	OZ/GAL	TIP COLOR	RATIO	OZ/GAL	TIP COLOR	RATIO	OZ/GAL	TIP COLOR	RATIO	OZ/GAL
CLEAR	64:1	2.00	CLEAR	210:1	0.61	CLEAR	213:1	0.60	CLEAR	195:1	.66
PURPLE	57:1	2.25	PURPLE	171:1	0.75	PURPLE	197:1	0.65	PURPLE	128:1	1.01
YELLOW	30:1	4.30	YELLOW	102:1	1.25	YELLOW	142:1	0.90	YELLOW	83:1	1.53
GREEN	19:1	6.75	GREEN	64:1	2.00	GREEN	85:1	1.50	GREEN	51:1	2.52
PINK	16:1	8.25	PINK	56:1	2.30	PINK	57:1	2.25	PINK	36:1	3.53
TURQUOISE	9.8:1	13.00	TURQUOISE	35:1	3.70	TURQUOISE	39:1	3.30	TURQUOISE	22:1	5.73
BLACK	8.0:1	16.00	BLACK	28:1	4.60	BLACK	23:1	4.00	BLACK	19:1	6.72
GRAY	6.4:1	20.00	GRAY	22:1	5.90	GRAY	24:1	5.25	GRAY	14:1	8.95
RED	5.0:1	25.60	RED	18:1	7.30	RED	19:1	6.60	RED	10:1	12.34
BLUE	4.6:1	27.60	BLUE	15:1	8.60	BLUE	17:1	7.50	BLUE	9:1	14
BROWN	4.0:1	31.75	BROWN	12:1	11.00	BROWN	13:1	10.00	BROWN	7:1	18.68
WHITE	3.5:1	36.50	WHITE	9.0:1	14.00	WHITE	10:1	12.50	WHITE	5:1	24.45
ORANGE	3.2:1	40.50	ORANGE	7.0:1	17.75	ORANGE	8.0:1	16.00	ORANGE	4:1	30.97
NONE	2.6:1	48.50	NONE	3.7:1	35.00	NONE	4.0:1	32.25	NONE	2:1	66.07

100-15KU (1/4" BARB)

BOTTLE FILL BLEND CENTERS 1 GPM (2.2 L/MIN)						FAUCET PROPORTIONERS 151, 153, & 167 4.25 GPM (16.9 L/MIN)				
TIP COLOR	164BAG AIR GAP			16.30 ACTION GAP			TIP COLOR	RATIO	OZ/GAL	mL/L
	RATIO	OZ/GAL	mL/L	RATIO	OZ/GAL	mL/L				
COPPER	230:1	0.56	4.38	290:1	0.44	3.44	COPPER	1109:1	0.12	0.94
PUMPKIN	175:1	0.73	5.70	236:1	0.54	4.22	PUMPKIN	875:1	0.15	1.17
BURGANDY	143:1	0.90	7.03	190:1	0.67	5.24	BURGANDY	809:1	0.16	1.25
LIME	100:1	1.28	10.0	150:1	0.85	6.64	LIME	650:1	0.21	1.64

BUCKET FILL BLEND CENTERS 4 GPM (8.8 L/MIN)						SPRAY AND FOAM DISPENSERS 241CT & 244CT 2.5 GPM (9.5 L/MIN)				
TIP COLOR	164BAG AIR GAP			16.30 ACTION GAP			TIP COLOR	RATIO	OZ/GAL	mL/L
	RATIO	OZ/GAL	mL/L	RATIO	OZ/GAL	mL/L				
COPPER	806:1	0.16	1.25	915:1	0.14	1.09	COPPER	610:1	0.21	1.64
PUMPKIN	625:1	0.20	1.56	640:1	0.20	1.56	PUMPKIN	504:1	0.26	2.03
BURGANDY	490:1	0.26	2.03	525:1	0.24	1.88	BURGANDY	425:1	0.30	2.34
LIME	376:1	0.34	.034	383:1	0.33	2.58	LIME	389:1	0.35	2.73

CHEMICAL INDUCTION RATES ARE BASED ON WATER THIN PRODUCTS (1 CPS)
INDUCTION RATES MAY VARY FROM PRODUCT TO PRODUCT. FIELD TESTS ARE RECOMMENDED

DEMA ENGINEERING COMPANY
METERING TIP KITS

CHEMICAL INDUCTION RATES ARE BASED ON WATER THIN PRODUCTS (1 CPS)
INDUCTION RATES MAY VARY FROM PRODUCT TO PRODUCT. FIELD TESTS ARE RECOMMENDED