

Safety certificate K6520/12

Issued 2014-10-17
Replaces K6520/11
Page 1 of 3

Detergent dosing apparatus

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Product Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Dema Europe LLC


comply with the technical specifications as laid down in this safety certificate and are marked with the Kiwa®-mark as specified in this safety certificate are, on delivery, relied upon to comply with Kiwa evaluation guideline

BRL-K14011/01 “Aspects of technical water supply protection for appliances with a contamination risk”

wherein the requirements of

EN 1717: 2000 “Protection against pollution of potable water in water installations and general requirements of devices to prevent pollution by backflow”.

are applied for analyzing the risk of contamination by backflow and for selecting the appropriate backflow prevention unit(s).



Bouke Meekma
Kiwa

Publication of the certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Supplier

Dema Europe LLC
Mast 25
3891 KE ZEEWOLDE
Tel. 036-5227006
Fax 036-5227863
sales@demaeng.com
demaurope.com

Kiwa Nederland B.V.

Sir Winston Churchilllaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands

Tel. +31 70 414 44 00
Fax +31 70 414 44 20
info@kiwa.nl
www.kiwa.nl

Certificate

Detergent dosing apparatus

Product specification

The following types are covered by this certificate

Model

DEMA blend proportioner 153

Proportioning series

Model 440

GAP / GAPE / AG (see remark below)

Model 437

GAP / GAPE / AG (see remark below)

Model 633

GAP / GAPE / AG (see remark below)

Model 700

GAP / GAPE / AG (see remark below)

Model 800

GAP / GAPE / AG (see remark below)

Model 662

GAP / GAPE / AG (see remark below)

Model 681

GAP / GAPE / AG (see remark below)

Model 661

GAP / GAPE / AG (see remark below)

Model 660

GAP / GAPE / AG (see remark below)

Model 651

GAP / GAPE / AG (see remark below)

Model 652

GAP / GAPE / AG (see remark below)

Remarks

DEMA, Code 61 - 22 - 3BAG
(16 l/min, 4 GPM, white colour)

DEMA, Code 61 - 32BAG
(4 l/min, 1 GPM, green colour)

DEMA, Model 16.30 Action Gap

Prefix

AG Family D, Type C

AG Family D, Type C

GAP Family D, Type B

GAPE Same as prefix GAP, except for the European market

Detergent dosing apparatus

Application and use

This certificate applies to quantity-produced “appliances with a contamination risk” intended for connection to drinking water installations. These appliances must be equipped with a backflow prevention unit at the feed in conformance with NEN 1006 that is appropriate for covering the risk of backflow of contaminating substances. The backflow prevention unit shall prevent that water upstream from the protection point will be contamination as a result of backflow from the appliances with a contamination risk and/or downstream connected applications or installation.

Marking

The products shall be marked with the sticker



Location of the mark:

on the outside near the water inlet connection point.

Further compulsory specifications:

- suppliers mark or logo;
- type nomination.

Method of marking:

- indelible;
- visible after mounting.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Dema Europe LLC
- and, if necessary,
- Kiwa Nederland B.V.

This certificate is only valid for the technical water supply part of the product of installation. Kiwa declares herewith that the construction of this technical water supply has been conducted in such way, contamination of the drinking water installation will be prevented. Herewith Kiwa gives no statement with respect to the function or the efficiency of the under these declaration supplied products.

Consult the supplier's processing guidelines for the proper storage and transport methods.